

CASE SUMMARY

APPLICATION TYPE: REZONING

NORTHWEST COUNTY SECTOR PLAN AMENDMENT

KNOXVILLE-KNOX COUNTY

M P C
METROPOLITAN
P L A N N I N G
C O M M I S S I O N

T E N N E S S E E

Suite 403 • City County Building
4 0 0 M a i n S t r e e t
Knoxville, Tennessee 37902
8 6 5 • 2 1 5 • 2 5 0 0
F A X • 2 1 5 • 2 0 6 8
w w w • k n o x m p c • o r g

File Number: 12-L-17-RZ **Related File Number:** 12-C-17-SP
Application Filed: 11/3/2017 **Date of Revision:**
Applicant: CASCADE FALLS LLC AND WALT DICKSON

PROPERTY INFORMATION

General Location: West side Fretz Rd., south of Woodhollow Ln.
Other Parcel Info.:
Tax ID Number: 130 070 **Jurisdiction:** County
Size of Tract: 34 acres
Accessibility:

GENERAL LAND USE INFORMATION

Existing Land Use: House and vacant land
Surrounding Land Use:
Proposed Use: Detached residential **Density:** 5 du/ac
Sector Plan: Northwest County **Sector Plan Designation:** AG
Growth Policy Plan: Urban Growth Area (Farragut)
Neighborhood Context:

ADDRESS/RIGHT-OF-WAY INFORMATION (where applicable)

Street: 905 Fretz Rd
Location:
Proposed Street Name:
Department-Utility Report:
Reason:

ZONING INFORMATION (where applicable)

Current Zoning: A (Agricultural)
Former Zoning:
Requested Zoning: PR (Planned Residential)
Previous Requests: None noted
Extension of Zone:
History of Zoning:

PLAN INFORMATION (where applicable)

Current Plan Category: AG (Agricultural)
Requested Plan Category: LDR (Low Density Residential)

SUBDIVISION INFORMATION (where applicable)

Subdivision Name:

No. of Lots Proposed:

No. of Lots Approved: 0

Variances Requested:

S/D Name Change:

OTHER INFORMATION (where applicable)

Other Bus./Ord. Amend.:

MPC ACTION AND DISPOSITION

Planner In Charge: Michael Brusseau

Staff Recomm. (Abbr.): RECOMMEND that County Commission APPROVE PR (Planned Residential) zoning at a density of up to 4 du/ac (Applicant requested 5 du/ac),

Staff Recomm. (Full): PR zoning at the recommended density will allow reasonable development of the site, consistent with the sector plan and surrounding development, and also consistent with the residential density guidelines of the Hillside and Ridgetop Protection Plan (HRPP).

Comments: REZONING REQUIREMENTS FROM ZONING ORDINANCES (must meet all of these):

THE PROPOSED AMENDMENT SHALL BE NECESSARY BECAUSE OF SUBSTANTIALLY CHANGED OR CHANGING CONDITIONS IN THE AREA AND DISTRICTS AFFECTED, OR IN THE CITY/COUNTY GENERALLY:

1. The recommended zoning and density for the subject property are appropriate to allow reasonable use of the site, while remaining compatible with surrounding development and zoning, and consistent with the policies of the HRPP.
2. With application of the residential density and land disturbance guidelines from the HRPP, the maximum density should be about 4 du/ac. The slope analysis, map and calculations are attached.
3. The adjacent PR development to the north and west is zoned PR at up to 5 du/ac, but is only partially developed at this point in time.
4. The PR zone requires use on review approval of a development plan by MPC prior to construction. This will provide the opportunity for staff to review the plan and address issues such as traffic circulation, lot layout, recreational amenities, drainage, types of units and other potential development concerns. It will also give the opportunity for public comment at the MPC meeting.

THE PROPOSED AMENDMENT SHALL BE CONSISTENT WITH THE INTENT AND PURPOSE OF THE APPLICABLE ZONING ORDINANCE:

1. PR zoning is intended to provide optional methods of land development which encourage more imaginative solutions to environmental design problems. Residential areas thus established would be characterized by a unified building and site development program, open space for recreation and provision for commercial, religious, educational and cultural facilities which are integrated with the total project by unified architectural and open space treatment.
2. Additionally, the zoning states that each development shall be compatible with the surrounding or adjacent zones. Such compatibility shall be determined by the Planning Commission by review of development plans. Staff maintains that PR is the most appropriate zone for this development.

THE PROPOSED AMENDMENT SHALL NOT ADVERSELY AFFECT ANY OTHER PART OF THE COUNTY, NOR SHALL ANY DIRECT OR INDIRECT ADVERSE EFFECTS RESULT FROM SUCH AMENDMENT:

1. Staff's recommended zoning and density will be compatible with the scale and intensity of the surrounding development and zoning pattern.
2. Sidewalks will be required on at least one side of each street within the development, and possibly along the Fretz Rd. frontage.
3. To the northwest, a subdivision is developing at a similar density to the requested zoning and density.
4. The PR zoning district has provisions for preservation of open space and providing recreational amenities as part of the development plan. The applicant will be expected to demonstrate how these provisions are met as part of the required development plan review.
5. The proposed PR zoning at a density of up to 5 du/ac would allow for a maximum of 164 dwelling units to be proposed for the site. That number of detached units, as proposed, would add approximately 1634 vehicle trips per day to the street system and would add approximately 67 children under the age of 18 to the school system. The recommended PR zoning at a density of up to 4 du/ac would allow for a maximum of 131 dwelling units to be proposed for the site. That number of detached units would add approximately 1329 vehicle trips per day to the street system and would add

approximately 54 children under the age of 18 to the school system.

5. Depending on where access to the development is proposed, road improvements to Fretz Rd. and Hatmaker Ln. may be necessary. The applicant will be expected to make any road improvements that are deemed necessary by the Knox County Engineering Department. The applicant will also be required to certify on the plans that adequate sight distance is available at the project entrance.

THE PROPOSED AMENDMENT SHALL BE CONSISTENT WITH AND NOT IN CONFLICT WITH THE GENERAL PLAN OF KNOXVILLE AND KNOX COUNTY, INCLUDING ANY OF ITS ELEMENTS, MAJOR ROAD PLAN, LAND USE PLAN, COMMUNITY FACILITIES PLAN, AND OTHERS:

1. With the recommended amendment of the Northwest County Sector Plan to LDR on the associated request (12-C-17-SP), PR zoning at a density of up to 5 du/ac would be consistent with the plan.
2. Approval of this request could lead to future requests for PR zoning in this area.
3. The recommended zoning and density do not present any apparent conflicts with any other adopted plans.

Upon final approval of the rezoning, the developer will be required to submit a development plan for MPC consideration of use on review approval prior to the property's development. The plan will show the property's proposed development, landscaping and street network and will also identify the types of residential units that may be constructed. Grading and drainage plans may also be required at this stage, if deemed necessary by Knox County Engineering and MPC staff.

Action: Approved **Meeting Date:** 12/14/2017

Details of Action:

Summary of Action: Recommend the Knox County Commission approve PR (Planned Residential) zoning at a density up to 4 dwelling units per acre.

Date of Approval: 12/14/2017 **Date of Denial:** **Postponements:**

Date of Withdrawal: **Withdrawn prior to publication?:** **Action Appealed?:**

LEGISLATIVE ACTION AND DISPOSITION

Legislative Body: Knox County Commission

Date of Legislative Action: 1/22/2018

Date of Legislative Action, Second Reading:

Ordinance Number:

Other Ordinance Number References:

Disposition of Case: Approved

Disposition of Case, Second Reading:

If "Other":

If "Other":

Amendments:

Amendments:

Date of Legislative Appeal:

Effective Date of Ordinance: