



Project Information:

22024

PHASE 1: WORSHIP CENTER ADDITION

9635 WESTLAND DRIVE,
KNOXVILLE, TENNESSEE 37922

SHORELINE CHURCH
<https://www.shorelineknox.com>

Seal:

PRELIMINARY PACKAGE:
**NOT FOR
CONSTRUCTION**

Consultant



ARDURRA

COLLABORATE. INNOVATE. CREATE.
2160 Lakeside Centre Way, Suite 201
Knoxville, TN 37922
Phone: (865) 690-6419
www.Ardurra.com

#	ISSUED BY:	DATE
B	Planning Comments	09/19/2022

Issue Date: AUGUST 22, 2022

PIC	WCF
-----	-----

PM JCM

PA

Drawn By: PRA


Checked By: JCM

Sheet Information:

C-001

SPECIAL USE PLAN

Copyright © 2022 McCarty Holsaple McCarty






PRICING SET 01 FOR

PHASE 1: WORSHIP CENTER ADDITION

SHORELINE CHURCH


9635 WESTLAND DRIVE, KNOXVILLE, TENNESSEE 37922


PROJECT NO.: **22024**

 PLANNING CASE FILE NUMBER: **10-B-22-SU**

VOLUME: 1 OF 1

ISSUED: XXXXX XX, 202X





A21 COMPOSITE FLOOR PLAN - LEVEL 01
1/16" = 1'-0" | A-100

FLOOR PLAN GENERAL NOTES

- REFER TO SHEET A-001 FOR ADDITIONAL GENERAL NOTES.
- ALL NEW PARTITIONS SHALL BE TYPE **A-60** UNO, REFER TO PARTITION SCHEDULE FOR MORE INFORMATION.
- REFER TO PARTITION TYPE FOR LOCATION OF SOUND ATTENUATION BLANKETS.
- PARTITION TYPES ARE SCHEDULED IN THE A-200 SERIES, RE: G-100 SERIES "CODE COMPLIANCE PLANS/LIFE SAFETY PLANS" FOR GRAPHIC EXTENT OF FIRE RATED PARTITIONS.
- TYPICAL DIMENSIONS SHOWN ON THE FLOOR PLANS FOR NEW CONSTRUCTION ARE TO THE FACE OF STUD, TO CENTER LINE OF COLUMNS AND TO FACE OF CONCRETE OR MASONRY WALLS, UNLESS OTHERWISE NOTED. DIMENSIONS IN RENOVATED AREAS ARE FROM FINISH FACE OF EXISTING WALLS TO FINISH FACE OF NEW STUD WALLS, UNLESS OTHERWISE INDICATED. DIMENSIONS NOTED AS "MINIMUM CLEAR" OR "BOLD" ARE TO FACE OF PARTITION FINISH. MAINTAIN DIMENSIONS NOTED.
- PARTITIONS NOT DIMENSIONED ARE GENERALLY LOCATED BY ONE OF THE FOLLOWING CRITERIA:
A. CENTERLINE: CENTER OF PARTITION ALIGNS WITH THE CENTER OF GRIDLINE OR OBJECT CENTERLINE (SUCH AS A COLUMN OR MULLION). CENTER THE OVERALL PARTITION WIDTH RATHER THAN STUD WIDTH ON THE LINE.
B. ALIGN: LOCATE PARTITION FLUSH WITH FACE OF GYPSUM BOARD, OR OTHER SURFACE INDICATED.
- WHERE EXISTING WALL BASE OR WALLCOVERING HAS BEEN REMOVED, SKIM COAT WALL SURFACE TO MAKE SMOOTH TO MATCH ADJACENT CONSTRUCTION SO AS NOT TO TELEGRAPH THROUGH FOR NEW FINISH.
- WHERE PARTITION IS TO ALIGN WITH THE FACE OF AN EXISTING DRYWALL CORNER OR EDGE, REMOVE THE EXISTING CORNER BEAD, TAPE, SPACKLE AND SANE SMOOTH. NEW AND EXISTING DRYWALL TO BE IN THE SAME PLANE WITH NO VISIBLE JOINTS.
- WHERE NEW GYPSUM BOARD PARTITIONS ARE A CONTINUATION OF AN EXISTING PARTITION OR COLUMN ENCASUREMENT, THE FACE OF THE NEW GYPSUM BOARD SHALL BE ALIGNED WITH THE FACE OF THE EXISTING SURFACE. STUDS SHALL BE OFFSET AND ADDITIONAL LAYERS OF GYPSUM BOARD SHALL BE PROVIDED AS REQUIRED TO PROVIDE FACE ALIGNMENT OF GYPSUM BOARD.
- SEE EXTERIOR ELEVATIONS FOR LOCATIONS OF VERTICAL EXPANSION JOINTS IN MASONRY.
- SEE EQUIPMENT DRAWINGS (Q-XXX) FOR LOCATION OF FOOD SERVICE, EQUIPMENT NOT SHOWN - COORDINATE WITH MECHANICAL, PLUMBING, AND ELECTRICAL.
- PROVIDE MINIMUM 1'-0" CLEAR FLOOR SPACE AT THE PUSH SIDE OF EVERY DOOR WITH A CLOSER. PROVIDE MINIMUM 1'-6" CLEAR AT THE PULL SIDE OF EVERY DOOR, UNLESS SPECIFICALLY DIMENSIONED, NOTED OR SHOWN OTHERWISE.
- LOCATE DOORS 0'-4" FROM FACE OF INTERSECTING STUD PARTITION TO INSIDE EDGE OF DOOR FRAME, UNO. LOCATE DOORS, IN MASONRY, 0'-3" FROM FACE OF INTERSECTING MASONRY PARTITION TO INSIDE EDGE OF DOOR FRAME, UNO.
- THE ROUGH OPENING OF A NEW DOOR GRAPHICALLY SHOWN IN THE CENTER OF WALL, UNDIMENSIONED SHOULD BE CENTERED ON THAT ROOMSPACE.
- ALL EXPOSED CMU CORNERS, VERTICAL AND HORIZONTAL, SHALL BE BULL-NOSED.
- SEE G-003 FOR TYPICAL MOUNTING HEIGHTS.
- VERIFY LOCATION OF MARKERBOARDS, TACKBOARDS, AND MONITORS PRIOR TO INSTALLATION.
- FIELD MEASURE AND CONFIRM DIMENSIONS FOR EQUIPMENT, FURNISHINGS & ARCHITECTURAL WOODWORK (MILLWORK).
- LAVATORIES AND SINKS SHALL BE ACCOMPANIED BY A PAPER TOWEL DISPENSER, AND SOAP DISPENSER UNLESS OTHERWISE NOTED ON THE FLOOR PLANS.
- SEE DOOR SCHEDULE FOR DOOR FRAME MATERIAL, FINISHES AND ALL HARDWARE COMBINATIONS. REFER TO PROJECT MANUAL.
- REFER TO MOUNTING DIAGRAMS AND ELEVATIONS FOR LOCATION OF SWITCHES, DIMMERS, THERMOSTATS AND OUTLETS.

FLOOR PLAN KEYED NOTES


10-B-22-SU
Revised: 9/19/2022

FLOOR PLAN LEGEND

NEW	EXISTING
NON RATED - PARTITION	NON RATED - PARTITION
1HR RATED - PARTITION	1HR RATED - PARTITION
	DOOR OPENING AND REFERENCE TAG W/ TYP. CLEARANCE DIMS. (SEE A-003 FOR DOOR SCHEDULE) (E _____ DENOTES EXISTING DOOR)
	ITEMS TO BE BUILT IN MILLWORK, REF. INTERIOR ELEVATIONS
	AREA OUT OF ARCHITECTURAL SCOPE - REFER TO MEP AND STRUCTURAL FOR ADDITIONAL WORK IF REQ'D.
XXX	PARTITION TYPE MARK
XX	FLOOR PLAN KEYED NOTE MARK
X	OPENING TYPE MARK
	CONSTRUCTION JOINT CJ - CONTROL JOINT EJ - EXPANSION JOINT OBJECTS OVERHEAD
	CENTERLINE OF OBJECT
	OWNER FURNISHED ITEM
	FLOOR RECEPTACLE

MHM

McCarthy Holtsapple McCarthy
550 W. Main St., Suite 300
Knoxville, TN 37902
1-865-544-2000
www.mhmc.com



Project Information:

22024
PLANNING CASE FILE NUMBER: **10-B-22-SU**

PHASE 1:
WORSHIP CENTER
ADDITION

9635 WESTLAND DRIVE,
KNOXVILLE, TENNESSEE 37922

SHORELINE CHURCH

Address2
City, State Zip
website

Seal:

PRICING SET 01

PRELIMINARY PACKAGE:
NOT FOR
CONSTRUCTION

Consultant:

#	ISSUED BY:	DATE:
B	Planning Comments	9/19/2022

Issue Date:	XXXXXX.XX, 202X
PIC	PIC NAME
PM	PM NAME
PA	JC NAME


Drawn By:	Author
Checked By:	Project Checked By

Sheet Information:

A-100

FLOOR PLAN -
COMPOSITE LEVEL 01

Copyright © 2022 McCarthy Holtsapple McCarthy



22024

PHASE 1:
WORSHIP CENTER
ADDITION

PLANNING CASE FILE NUMBER: **10-B-22-SU**

SHORELINE CHURCH

Address _____
City, State _____
website _____

Seal:

PRICING SET 01

PRELIMINARY PACKAGE:
**NOT FOR
CONSTRUCTION**

Consultant

#	ISSUED BY:	DATE
B	Planning Comments	9/19/2022

Issue Date: XXXXX XX, 202X

PIC	PIC NAME
-----	----------

PM	PM NAME
----	---------

PA	JC NAME
----	---------

Drawn By:	Author
------------------	---------------

Checked By:	Project.Checked By
-------------	--------------------

Sheet Information:

A-101


FLOORPLAN -
COMPOSITE LEVEL 02

Copyright © 2022 McCarty Holsaple McCarty

2. REFER TO SHEET A-01 FOR ADDITIONAL GENERAL NOTES.
3. ALL NEW PARTITIONS SHALL BE TYPE **A60**, **UNO**. REFER TO PARTITION SCHEDULE FOR MORE INFORMATION.
4. REFER TO PARTITION TYPE FOR LOCATION OF SOUND ATTENUATION BULK HEADS.
5. "PARTITION TYPES ARE SCHEDULED IN THE A-000 SERIES. RE: 0-10 SERIES "CODE COMPLIANCE PLANS/LIFE SAFETY PLANS" FOR GRAPHIC EXIST/NEW FIRE RATED PARTITIONS.
6. TYPICAL DIMENSIONS SHOWN ON THE FLOOR PLANS FOR NEW, EXISTING CORNERS ARE TO THE FACE OF STUD, TO CENTER LINE OF COLUMNS AND TO FACE OF CONCRETE OR MASONRY WALLS, UNLESS OTHERWISE NOTED. DIMENSIONS IN REGULARIZED AREAS ARE FROM FACE OF EXISTING WALLS TO FINISH FACE OF NEW STUD WALLS, UNLESS OTHERWISE NOTED. DIMENSIONS IN REGULARIZED AREAS FROM **FR** OR **HLZ** ARE TO FACE OF PARTITION FINISH. LOCATED DIMENSIONS NOTED.
7. PARTITIONS NOT DIMENSIONED ARE GENERALLY LOCATED BY ONE OF THE FOLLOWING CRITERIA:
 - A. CENTER LINE OF CENTER OF PARTITION ALIGNS WITH THE CENTER OR GRIDLINE OR CENTER OF CENTERLINE (SUCH AS A COLUMN OR CORNER), CENTER THE PARTITION TO THE FACE OF THE EXISTING STUD WITHIN ON THE LINE.
 - B. LOCATE THE PARTITION 1/2" SLUSH WITH FACE OF GYPSUM BOARD, OR OTHER SURFACE INDICATED.
8. WHERE EXISTING WALL, BASE OR WALL/CORNER HAS BEEN REMOVED, SKIM COAT WALL SURFACE TO MAKE SMOOTH TO MATCH ADJACENT CORNERS, SO AS NOT TO TELEGRAPH THROUGH FOR FINISH.
9. WHERE PARTITION IS TO ALIGN WITH THE FACE OF AN EXISTING DRYWALL CORNER OR EDGE, REMOVE THE EXISTING CORNER BEAD. TAPE, SPACKLE AND FINISH NEW EXISTING DRYWALL TO BE IN THE SAME PLANE WITH NO VISIBLE JOINTS.
10. WHERE NEW GYPSUM BOARD PARTITIONS ARE A CONTINUATION OF AN EXISTING PARTITION OR CORNER ENCASUREMENT, THE FACE OF THE NEW GYPSUM BOARD SHALL BE TO THE FACE OF THE EXISTING SURFACE. STUDS SHALL BE OFFSET AND ADDITIONAL LAYERS OF GYPSUM BOARD SHALL BE PROVIDED AS REQUIRED TO PROVIDE FACE ALIGNMENT OF GYPSUM BOARD.
11. SEE EXTERIOR ELEVATIONS FOR LOCATIONS OF VERTICAL EXPANSION JOINTS IN MASONRY.
12. SEE EQUIPMENT DRAWINGS (D-XXX) FOR LOCATION OF FOOD SERVICE EQUIPMENT, SHOW SINKS, REFRIGERATORS, FLUMING, PLUMBING, AND ELECTRICAL.
13. PROVIDE MINIMUM 1/4" CLEAR FLOOR SPACE AT THE PUSH SIDE OF EVERY DOOR AND GLOSER. PROVIDE 1/2" CLEAR FLOOR SPACE AT THE PULL SIDE OF EVERY DOOR, UNLESS SPECIFICALLY DIMENSIONED, NOTED OR SHOWN OTHERWISE.
14. LOCATE DOORS 0'-4" FROM FACE OF INTERSECTING STUD PARTITION TO DOOR FACE OF DOOR FRAME, UNLESS LOCATED OTHERWISE. IN MASONRY 1/2" FROM FACE OF INTERSECTING MASONRY PARTITION TO INSIDE EDGE OF DOOR FRAME, UNLESS OTHERWISE NOTED.
15. THE ROUGH OPENING OF A NEW DOOR GRAPHICALLY SHOWN IN THE CENTER OF WALL UNDIMENSIONED SHOULD BE CENTERED ON THAT ROOMSPACE.
16. ALL EXPOSED MOU CORNERS, VERTICAL AND HORIZONTAL, SHALL BE BUILT UP TO 1/2" MINIMUM.
17. SEE G-003 FOR TYPICAL MOUNTING HEIGHTS.
18. VERIFY LOCATION OF MARKERBOARDS, TACKBOARDS, AND MONITORS PRIOR TO INSTALLATION.
19. FIELD MEASURE AND CONFIRM DIMENSIONS FOR EQUIPMENT, FURNISHINGS & ARCHITECTURAL, WOODWORK (MILLWORK).
20. LAVATORIES AND SINKS SHALL BE ACCOMPANIED BY A PAPER TOWEL DISPENSER, AND SOAP DISPENSER UNLESS OTHERWISE NOTED ON THE FLOOR PLANS.
21. SEE DOOR SCHEDULE FOR DOOR FRAME MATERIAL, FINISHES AND ALL HARDWARE COMBINATIONS, REFER TO PROJECT MANUAL.
22. REFER TO MOUNTING DIAGRAMS AND ELEVATIONS FOR LOCATION OF TACKBOARDS, SIGNAGERS, REFRIGERATORS, AND EQUIPMENT.

10-B-22-SU
Revised: 9/19/2022

NEW	EXISTING
NON RATED - PARTITION	NON RATED - PARTITION
1HR RATED - PARTITION	1HR RATED - PARTITION
	DOOR OPENING AND REFERENCE TAG W/ TYP. CLEARANCE DIMS. (RE: 4605) FOR DOOR SCHEDULE) (E... DENOTES EXISTING DOOR)
	ITEMS TO BE BUILT IN MILLWORK; REF. INTERIOR ELEVATIONS
	AREA OUT OF ARCHITECTURAL SCOPE - REFER TO MEP AND STRUCTURAL FOR ADDITIONAL WORK IF REQ'D.
	PARTITION TYPE MARK
	FLOOR PLAN KEYED NOTE MARK
	OPENING TYPE MARK
	CONSTRUCTION JOINT CJ - CONTROL JOINT EJ - EXPANSION JOINT
	OBJECTS OVERHEAD
	CENTERLINE OF OBJECT
	OWNER FURNISHED ITEM
	FLOOR RECEPTACLE



A3 ROOF PLAN
1/16" = 1'-0" | A-104

ROOF PLAN GENERAL NOTES

- ALL ROOF MEMBRANE AREAS SHALL BE SLOPED A MINIMUM 1/4" SLOPE PER FOOT UNLESS NOTED OTHERWISE. REFER TO BUILDING SECTIONS AND STRUCTURAL DWGS FOR SLOPING STRUCTURE.
- ALL CRICKETS SHALL HAVE A MINIMUM 1/4" NET SLOPE PER FOOT UNLESS NOTED OTHERWISE. USE 12" MATERIAL SLOPE PER FOOT TAPERED INSULATION ON STRUCTURALLY SLOPED ROOFS TO ACHIEVE A MINIMUM 1/4" NET SLOPE PER FOOT.
- ARROWS INDICATE DIRECTION OF DOWNWARD ROOF SLOPE.
- ALL SUMPS AROUND COMBINATION ROOF DRAIN / OVERFLOW DRAIN SHALL BE 4'-0" BY 6'-0" WITH A 1/2" SLOPE PER FOOT.
- MINIMUM INSULATION THICKNESS SHALL BE 4" UNLESS NOTED OTHERWISE.
- MINIMUM INSULATION THICKNESS IN TAPERED AREAS AT SUMPS SHALL BE 3" UNLESS NOTED OTHERWISE.
- MINIMUM INSULATION THICKNESS IN TAPERED AREAS AT DRAINS SHALL BE 1" UNLESS NOTED OTHERWISE.
- REFER TO SHEETS _____ FOR ROOF DETAILS.
- PROVIDE CRICKETS AT ALL ROOF TOP EQUIPMENT / PROTRUSIONS / ETC. TO ENSURE POSITIVE DRAINAGE.
- PROVIDE WALK PADS AROUND ALL MECHANICAL UNITS, LADDERS, HATCHES/DOORS, & WHERE GRAPHICALLY INDICATED ON ROOF PLAN.
- REFER TO CIVIL DRAWINGS FOR CONTINUATION OF DOWNSPOUTS.
- COORDINATE ALL PENETRATIONS WITH PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS.


ROOF PLAN KEYED NOTES

10-B-22-SU
Revised: 9/19/2022

ROOF PLAN LEGEND

MHM

McCarthy Holsapple McCarthy
550 W. Main St., Suite 300
Knoxville, TN 37902
1.865.544.2000
www.mhmlnc.com



Project Information:

22024

PHASE 1:
WORSHIP CENTER
ADDITION

9635 WESTLAND DRIVE,
KNOXVILLE, TENNESSEE 37922

PLANNING CASE FILE NUMBER: 10-B-22-SU

SHORELINE CHURCH

Address2
City, State Zip
website

Seal:

PRICING SET 01

PRELIMINARY PACKAGE:
NOT FOR
CONSTRUCTION

Consultant:

#	ISSUED BY:	DATE:
B	Planning Comments	9/19/2022

Issue Date:	XXXXXX, 202X
PIC	PIC NAME
PM	PM NAME
PA	JC NAME


Drawn By:	Author:
Checked By:	Project Checked By:

Sheet Information:

A-104


ROOF PLAN

Copyright © 2022 McCarthy Holsapple McCarthy



MHM

McCarthy Holsapple McCarthy
550 W. Main St., Suite 300
Knoxville, TN 37902
1 865.544.2000
www.mhmlnc.com



Project Information:

22024

PHASE 1: WORSHIP CENTER ADDITION

9635 WESTLAND DRIVE
KNOXVILLE, TENNESSEE 37922

PLANNING CASE FILE NUMBER: **10-B-22-SU**

SHORELINE CHURCH

Address2
City, State Zip
website

Seal:

PRICING SET 01

PRELIMINARY PACKAGE:
**NOT FOR
CONSTRUCTION**

Consultant:

#	ISSUED BY:	DATE:
B	Planning Comments	9/19/2022

Issue Date: XXXXXX XX, 202X

PIC PIC NAME

PM PM NAME

PA JC NAME

Drawn By: Author

Checked By: Project Checked By

Sheet Information:

A-201

EXTERIOR BUILDING
ELEVATIONS -
COMPOSITE


Copyright © 2022 McCarthy Holsapple McCarthy

H24 EXTERIOR ELEVATION - COMPOSITE SOUTH
1" = 10'-0" | A-201

A24 EXTERIOR ELEVATION - COMPOSITE NORTH
1" = 10'-0" | A-201


8/15/2022 2:28:22 PM

8/15/2022 2:28:37 PM



MHM

McCarthy Holtsapple McCarthy
550 W. Main St., Suite 300
Knoxville, TN 37902
t 865.544.2000
www.mhmlnc.com



Project Information:

22024

PHASE 1: WORSHIP CENTER ADDITION

9635 WESTLAND DRIVE
KNOXVILLE, TENNESSEE 37922

PLANNING CASE FILE NUMBER: **10-B-22-SU**

SHORELINE CHURCH

Address2
City, State Zip
website

Seal:

PRICING SET 01

PRELIMINARY PACKAGE:
**NOT FOR
CONSTRUCTION**

Consultant:

#	ISSUED BY:	DATE
B	Planning Comments	9/19/2022

Issue Date: XXXXXX XX, 20XX

PIC PIC NAME

PM PM NAME

PA JC NAME

Drawn By: Author


Checked By: Project Checked By

Sheet Information:

A-202

EXTERIOR BUILDING
ELEVATIONS -
ADDITION

Copyright © 2022 McCarthy Holtsapple McCarthy



Project Information:

22024

**PHASE 1:
WORSHIP CENTER
ADDITION**

9635 WESTLAND DRIVE
KNOXVILLE, TENNESSEE 37922
PLANNING CASE FILE NUMBER: **10-B-22-SU**

SHORELINE CHURCH
Address2
City, State Zip
website

Seal:

PRICING SET 01

PRELIMINARY PACKAGE:
**NOT FOR
CONSTRUCTION**

Consultant:

#	ISSUED BY:	DATE:
B	Planning Comments	9/19/2022

Issue Date:	XXXXXX, 202X
PIC	PIC NAME
PM	PM NAME
PA	JC NAME
Drawn By:	Author:
Checked By:	Project Checked By:

Sheet Information:

A-301

BUILDING SECTIONS

Copyright © 2022 McCarthy Holtsapple McCarthy

