


Launch







7-C-22-UR
5/31/2022



Barn site
approximated

Previous page:
Barn site is blue
Previous house
site will be the
new house site
is yellow


Arrow in
between points
to existing
garage with
gravel parking



Barn images from Big Buildings
Direct, built by Eagle Carports

With second high center aisle

Cell: 832 563-0862
6508 Stormer Rd, Knoxville, TN 37918
bschwind@blade-energy.com



7-C-22-UR
5/31/2022



BARN RED



VINTAGE BURGUNDY



EARTH BROWN



EVERGREEN



RAWHIDE



CLAY



SANDSTONE



Beckers

20 YEAR LIMITED WARRANTY
 Beckers Group is the premier supplier of coil coatings. With 150 years of expertise and 24 locations in 19 countries, Beckers is the industry standard.

Panel Specifications:
 5 Rib "AG" Panel Profile
 36" Coverage
 3/4" Rib height
 9" On center rib spacing



Popular combinations

| | | |
|---|---|---|
|  <i>Barn Red</i> |  <i>Evergreen</i> |  <i>Black</i> |
|  <i>Rawhide</i> |  <i>Clay</i> |  <i>White</i> |
|  <i>Royal Blue</i> |  <i>Earth Brown</i> |  <i>V. Burgundy</i> |
|  <i>Pewter Gray</i> |  <i>Pebble Beige</i> |  <i>Sandstone</i> |



PEBBLE BEIGE



ROYAL BLUE



QUAKER GRAY



PEWTER GRAY



GALVALUME



WHITE



BLACK

Barn Colors:
 Roof
 Pewter Gray
 Sides/Ends
 Pebble Beige
 Trim
 Sandstone



Example of what
the barn will look
like but with
different colors
listed on slide 5.

7-C-22-UR
5/31/2022



CONCRETE INFO BUILDING

Concrete Notch Design

IMPORTANT INFO

Always check with **local permitting** about foundation requirements the local codes rules will have to be followed.

If you are doing **as built engineered drawings** when you order the drawings let them know you are planning to do rat ledge. The engineered drawings will show foundation plans.

If you are using engineered drawings for permit share the foundation requirements with concrete contractor

Don't pour your pad until you get **approval** from building authority if you are pulling permit. We have had multiple customers who have poured the foundation then found out they could not build a building.

Minimum thickness of the concrete pad is 4in if you need thicker for your use or county.



Make sure concrete slab is level

The main foundation will be exact size of buildings base dimensions so 30x40 will have 30x40 main slab with additional 3.5 inches around it.

Benefits of Concrete Notch Design

This is the most effective way of keeping water out of the building.

The rats ledge design allows for the panels of the metal building to be between the concrete slab.



Disclaimer: Big Buildings Direct just gives recommendations on the best foundation design for our customers. The customer is still responsible for checking with local county, making sure they follow the engineered drawings specs they receive for the building projects. Customers should let engineered drawings department from installers know they are planning to have rat ledge pad design if ordering drawings. Big Buildings Direct is not responsible for the local contractor that will do your land work.

Barn permit information will be included separately in a PDF sent to us by the builder, Eagle Carports and it also includes the specifications for the concrete that we have given to the company that will place the concrete (with gravel insert) slab per slide 4.

7-C-22-UR

5/31/2022