

MHC Kenworth KNOXVILLE, TN

Located At:

0 CROSSWOOD BLVD.
KNOXVILLE, TN 37924

Project No.:	22002
Date:	6/27/22
Issued For:	Planning Submittal
F/O #:	8-F-22-DP

FINKLE + WILLIAMS
ARCHITECTURE

Project Team:

ARCHITECT

FINKLE + WILLIAMS ARCHITECTURE
8787 Renner Blvd., Suite 100
Lenexa, Kansas 66219
PH: 913.498.1550

CIVIL

KIMLEY-HORN
805 Pennsylvania Avenue, Suite 150
Kansas City, MO 64105
Ph: 816.319.2658

LANDSCAPE

KIMLEY-HORN
805 Pennsylvania Avenue, Suite 150
Kansas City, MO 64105 F-816.319.2658

FOUNDATIONS

BSE
11320 West 79th Street
Lenexa, KS 66214
Ph: 913.492.7400

STRUCTURAL

BSE
11320 West 79th Street
Lenexa, KS 66214
Ph: 913.492.7400

MECHANICAL

PKMR
13330 W. 98th Street
Lenexa, Kansas 66215
Ph: PH: 913.492.2400

CONTRACTOR

BRINKMANN CONSTRUCTORS
11101 Switzer Rd., Suite 310
Overland Park, KS 66210
Ph: 913.777.9807

PLUMBING

PKMR
13330 W. 98th Street
Lenexa, Kansas 66215
Ph: PH: 913.492.2400



ELECTRICAL

PKMR
13330 W. 98th Street
Lenexa, Kansas 66215
Ph: PH: 913.492.2400

Drawing Index:

Civil	
C-1	EXISTING CONDITIONS
C-2	SITE PLAN
C-3	GRADING AND UTILITY PLAN
Landscape	
L-1	LANDSCAPE PLAN
Architectural	
A1.01	FIRST FLOOR PLAN
A1.02	ENLARGED PLANS
A1.03	SECOND FLOOR PLAN
A4.01	EXTERIOR ELEVATIONS
Electrical	
E0.01	ELECTRICAL SITE LIGHTING
E0.02	ELECTRICAL SIGE LIGHTING SCHEDULE
Rendering	
R0.01	SITE RENDERING


8-F-22-DP
Revised: 7/26/222



	PROPERTY LINE
	PROPERTY EASEMENT LINE
	OVERHEAD UTILITY LINE
	FENCE LINE
	DOMESTIC WATER LINE
	NATURAL GAS LINE
	STORM DRAINAGE LINE
	SEWER LINE
	FIRE HYDRANT
	GUY WIRE
	UTILITY POLE
	CATCH BASIN
	REBAR/PIPE FOUND
	REBAR SET
	MONUMENT FOUND
	BENCHMARK

Christopher R. Conrad, RLS
Tennessee License Number 2166

8-F-22-DP
Revised: 7/26/22



A4.01



Fo

Project No.:	PKMR 22.332
Date:	06/27/2022
Issued For:	PLANNING SUBMITTAL
File #:	8-F-22-DP

REVISIONS

[illegible]

REGISTRATION

PROJECT TEAM

ARCHITECT	FINKLE+WILLIAMS ARCHITECTURE
CIVIL	KIMLEY-HORN
LANDSCAPE	KIMLEY-HORN
FOUNDATIONS	BSE
STRUCTURAL	BSE
PLUMBING	PKMR
MECHANICAL	PKMR
ELECTRICAL	PKMR
FIRE PROTECTION	N/A
CONTRACTOR	BRINKMAN CONSTRUCTO



SHEET TITLE

ELECTRICAL SITE LIGHTING

SHEET NUMBER

E0.01





GENERAL SITE PLAN NOTES

1. REFER TO GENERAL NOTES ON MEP COVER SHEET FOR ADDITIONAL REQUIREMENTS OF WORK.
2. REFER TO CIVIL PLANS FOR CONTINUATION OF SERVICES BEYOND 5'-0" FROM BUILDING UNLESS OTHERWISE SHOWN.
3. REFER TO RESPECTIVE FLOOR PLANS FOR CONTINUATION OF SERVICES INSIDE BUILDING AND/OR EXACT LOCATIONS OF EQUIPMENT.
4. CONTACT UTILITY LOCATING SERVICE TO LOCATE EXACT LOCATION OF ALL EXISTING UTILITIES BELOW GRADE.

SITE PLAN KEYED NOTES

- 1 PROVIDE 36' POLE SO THAT FIXTURE IS MOUNTED AT 39'



POLE BASE DETAIL

NOT TO SCALE

PARKING LOT STATISTICS

DESCRIPTION	MAINTAINED LIGHTING LEVELS			UNIFORMITY	
	AVG. (F.C.)	MAX. (F.C.)	MIN. (F.C.)	MAX. / MIN.	AVG. / MIN.
SOUTH PARKING LOT	3.1	7.2	1.3	5.5:1	2.4:1
SOUTH WEST PARKING LOT	1.9	4.9	0.7	7.0:1	2.7:1
DRIVEWAY AND PARKING LOT	2.6	7.6	0.4	19.0:1	6.5:1
PROPERTY SURROUNDINGS	0.3	4.6	0.0	N/A	N/A

NOTES:

1. NUMBERS INDICATE FOOTCANDLE LEVELS AT GRADE.
2. CALCULATIONS PERFORMED USING VISUAL 2.05.
3. THERE SHALL BE NO DIRECT ILLUMINATION OF RESIDENTIAL PROPERTIES ADJACENT TO THIS PROPERTY OR ACROSS PUBLIC RIGHT-OF-WAY.

8-F-22-DP
Revised: 7/26/222

DESCRIPTION	MAINTAINED LIGHTING LEVELS			UNIFORMITY	
	AVG. (F.C.)	MAX. (F.C.)	MIN. (F.C.)	MAX. / MIN.	AVG. / MIN.
SOUTH PARKING LOT	3.1	7.2	1.3	5.5:1	2.4:1
SOUTH WEST PARKING LOT	1.9	4.9	0.7	7.0:1	2.7:1
DRIVEWAY AND PARKING LOT	2.6	7.6	0.4	19.0:1	6.5:1
PROPERTY SURROUNDINGS	0.3	4.6	0.0	N/A	N/A

REMARKS:

1. FURNISH WITH AND INSTALL ALL NECESSARY HARDWARE AND MOUNTING BRACKETS.
2. WHERE FIXTURE IS LABELED "TM", PROVIDE WITH IOTA 1-232 EMERGENCY BALLAST (LINEAR FLUORESCENT LAMPS) OR I-42 EMERGENCY BALLAST (COMPACT FLUORESCENT LAMPS) OR APPROVED EQUALS(S).
3. WHERE FIXTURE IS LABELED "TM", PROVIDE WITH IOTA 10-010 (10W CONSTANT POWER EMERGENCY BATTERY PACK) OR APPROVED EQUAL.
4. WHERE FIXTURE IS LABELED "TM" CONNECT TO EMERGENCY CIRCUIT.
5. FURNISH FIXTURE WITH WIRE GUARD.
6. FIXTURE IS OWNER-PROVIDED, CONTRACTOR INSTALLED. COORDINATE EXACT ROUGH-IN REQUIREMENTS PRIOR TO CONSTRUCTION.
7. LOADS AND WAYFOLD VALUES LISTED ARE PER FOOT.
8. REFER TO DETAILS ON SHEET E-200 FOR WORK AND ADDITIONAL ACCESSORIES REQUIRED FOR MOUNTING OF FIXTURE.
9. FIXTURE HAS BEEN SELECTED BY OWNER. IN GENERAL, NO SUBSTITUTIONS WILL BE ALLOWED - COORDINATE SAME WITH OWNER.

[illegible]

CONSTRUCTORS

E0.02

HUBBELL
Lighting

COOPER
Lighting Solutions

pkmr ENGINEERS
PEARSON KENT MCKINLEY RAAF ENGINEERS LLC
13300 W 98TH STREET
LENEXA, KS 66215
WWW.PKMRENG.COM
913.492.2400



M-H 5, LLC
11120 Tomahawk Creek Pkwy
Suite 200
Leawood, Kansas 66211
(816)483-6444
FAX (816)483-5842

REVISIONS

[illegible]

ARCHITECT FINKLE+WILLIAMS
ARCHITECTURE

KIMLEY-HORN

OSCAPE KIMLEY-HORN

NDATIONS BSE

STRUCTURAL BSE

MBING PKMR

HANICAL PKMR

CTRICAL PKMR

PROTECTION N/A

TRACTOR BRINKMANN
CONSTRUCTORS

ANKLE + WILLIAMS
ARCHITECTURE

87 RENNER BLVD., SUITE 100
LENEXA, KANSAS 66219
913.498.1550
www.finklewilliams.com

SITE RENDERING

R0.01

C:\Users\Kelsie Kremer\Documents\MHCKnoxville_CENTRAL2021_KelsieRCares.mv